


# Arthroscopy System



**S.H.PITKAR**  
ORTHOTOOLS PVT. LTD.

Office & Works : EL-32, "J" Block, MIDC Bhosari, Pune 411 026 India.  
Tel : 91-20-47131270; Email:info@pitkar.net

ISO 13485 and Indian FDA approved company  
CDSCO Approved  
www.pitkar.com

## ARTHROSCOPY SYSTEM

- ➔ The **ARTHROSCOPY** system is designed to be a Minimally Invasive System for repair and reconstruction of soft tissues of the knee and shoulder.
- ➔ The system contains Interference screws, Buttons and Sutures for securing grafts and addresses reconstruction of ACL, PCL and Rotator Cuff repair.
- ➔ RobustaFiber are Strong, durable sutures made from UHMWPE fibres that ensure strong fixation and stability. They have been rigorously tested to simulate performance in working condition.
- ➔ Specially designed instruments like the RotoGrip and Flipcutter help in achieving minimal trauma to patient and reduces operative time. The system offers easier implant deployment and enhanced control.
- ➔ Implants are available in Medical Grade Titanium conforming to ISO 5832-III, PEEK.




## ARTHROSCOPY SYSTEM FOR KNEE

### Arthroscopy System for Knee



#### FlexStud

Part No.	Size
J107000011	11mm
J107000014	14mm
J107000020	20mm



#### FlexLoop

Part No.	Size
J113000000	



#### KneeFix T

Part No.	Dia	Length
J112000720	7	20mm
J112000820	8	20mm
J112000920	9	20mm
J112001020	10	20mm
J112000725	7	25mm
J112000825	8	25mm
J112000925	9	25mm
J112001025	10	25mm
J112000730	7	30mm
J112000830	8	30mm
J112000930	9	30mm
J112001030	10	30mm



#### KneeFix P

Part No.	Dia	Length
J106000723	7	23mm
J106000823	8	23mm
J106000728	7	28mm
J106000828	8	28mm
J106000928	9	28mm
J106001028	10	28mm
J106001128	11	28mm
J106001228	12	28mm



#### Spiked Washer for Cancellous Screw

Part No.	Dia
J178000014	14 mm
J178000018	18 mm



#### Suture Button Round 12mm

Part No.	Size
J179000012	



#### Ligament Staple Spiked

Part No.	Size
J180000006	6 mm
J180000008	8 mm
J180000011	11 mm
J180000016	16 mm



#### Bi-Cortical Post 4.5mm

Part No.	Length
J181000275	27.5 mm
J181000300	30 mm
J181000325	32.5 mm
J181000350	35 mm
J181000375	37.5 mm
J181000400	40 mm
J181000425	42.5 mm
J181000450	45 mm
J181000475	47.5 mm
J181000500	50 mm
J181000525	52.5 mm
J181000550	55 mm
J181000575	57.5 mm



#### Low Profile Cancellous Screw 6.5mm

Part No.	Length
J182000025	25 mm
J182000030	30 mm
J182000035	35 mm
J182000040	40 mm



#### CUFFGRIP-T Quick Anchor for Finger

Part No.	Size
J183001000	





**CUFFGRIP-T Anchor with Needles for Finger, Elbow and Ankle**

<b>Part No.</b>	<b>Size</b>
J184001000	5mm
J184002000	6.5mm



**CUFFGRIP-T Anchor for Finger, Elbow and Ankle**

<b>Part No.</b>	<b>Size</b>
J185001000	5mm
J185002000	6.5mm



**CUFFGRIP -T Suture Anchor**

<b>Part No.</b>	<b>Size</b>
J165281000	Ø2.8mm
J166351000	Ø3.5mm
J167501000	Ø5.0mm



**Suture with Needles for Finger, Elbow and Ankle**

**Part No.** J186001000



**Flex Hook with 2 Buttons**

**Part No.** J187001000



**CUFFGRIP Healix Anchor for Shoulder**

<b>Part No.</b>	<b>Size</b>
J188002000	4.5mm

J188001000	5.5mm
J188003000	6.5mm



**Meniscal Suture with Needle**

**Part No.** J189001000



**Taped Suture**

**Part No.** J190000000




**Suture 1 for Shoulder and Knee**

**Part No.** J194001000



**Suture 2 for Shoulder and Knee**

**Part No.** J191001000



**Flex Hook Fixed**

<b>Part No.</b>	<b>Size</b>
J192001015	15 mm
J192001020	20 mm
J192001025	25 mm
J192001030	30 mm



**Flex Hook Variable**

<b>Part No.</b>	
J193001000	Standard
J193002000	Long
J193003000	XL



**Rotogrip**

<b>Part No.</b>	<b>Dia.</b>	<b>Length</b>
J115001000	4.75	24.5 mm
J115002000	5.50	24.5 mm